
ADIOS: Architectures Deep In Output Space

Moustapha Cissé*

Maruan Al-Shedivat[†]

Samy Bengio[‡]

Facebook AI Research*, Carnegie Mellon University[†], Google Brain[‡]

MOUSTAPHACISSE@FB.COM

ALSHEDIVAT@CS.CMU.EDU

BENGIO@GOOGLE.COM

Abstract

Multi-label classification is a generalization of binary classification where the task consists in predicting *sets of labels*. With the availability of ever larger datasets, the multi-label setting has become a natural one in many applications, and the interest in solving multi-label problems has grown significantly. As expected, deep learning approaches are now yielding state-of-the-art performance for this class of problems. Unfortunately, they usually do not take into account the often unknown but nevertheless rich relationships between labels. In this paper, we propose to make use of this underlying structure by learning to partition the labels into a Markov Blanket Chain and then applying a novel deep architecture that exploits the partition. Experiments on several popular and large multi-label datasets demonstrate that our approach not only yields significant improvements, but also helps to overcome trade-offs specific to the multi-label classification setting.

1. Introduction

Data sources, such as social media, news services, and crowd-sourced experiments, usually generate data where every instance can be assigned several labels (also called *classes*, *categories*, or *tags*). This turns modern classification problems into not only enormous scale but also multi-label in many practical settings. For example in text classification, a document naturally conveys different related topics (e.g. *sports* and *tourism*). In image categorization as well, a picture contains more than one object of interest. Furthermore, the labels usually carry rich semantic structures (Deng et al., 2009; Partalas et al., 2015).

A straightforward approach to Multi-Label Classification

(MLC) consists in reducing the original problem to several independent single-label tasks (Tsoumakas & Katakis, 2007). This decomposition, called *binary relevance*, is appealing because of its simplicity and scalability. Unfortunately, it disregards the complex inter-dependencies that often exist between the labels. Consequently, it suffers from the lack of expressiveness and is prone to inconsistent predictions. On the other hand, the methods that exploit label dependencies can significantly improve the classification performance. However, most of the contributions hitherto suffer from the cost of increased training and prediction complexity and, hence, are limited in their applicability to cases with modest numbers of examples and categories.

The recent advancements in deep and representation learning have been successfully applied to address some of the issues of MLC (Nam et al., 2014). The proposed model in this prior study highlights the amenability of several tools, either developed or commonly used in deep learning, in the multi-label setting. In particular, it demonstrates that a simple multilayer perceptron with hidden rectified linear units (ReLU) (Glorot et al., 2011) trained with AdaGrad (Duchi et al., 2011) to jointly predict all the labels correctly can achieve state-of-the-art performance. The reason for this significant performance improvement in comparison to several existing approaches is threefold: Firstly, many real-world MLC problems exhibit *Zipf's law*-like label frequency distribution, i.e., few categories are very popular while the majority is rare. Therefore, when AdaGrad is used, the learning rate becomes adapted to the data distribution by allowing larger gradient steps for the rarely occurring labels in comparison to more frequent ones. Secondly, hidden ReLUs encourage a sparse intermediate representation that is presumably more discriminative (Bengio et al., 2013b; Olshausen & Field, 1997). Moreover, dropout regularization (Hinton et al., 2012) prevents specialization of groups of hidden units into predicting only some particular classes. Finally, the shared intermediate representation across the tasks (labels) implicitly models the dependencies between them and provides sharing of the statistical strength. This procedure, also called multitasking (Caruana, 1997), is an important argument for learning deep architectures for MLC. It naturally exploits la-

bel dependencies which importance in the design of accurate multi-label classifiers has been developed into a *opinio communis* (Read et al., 2011; Dembczyński et al., 2012; Cisse et al., 2013).

The categories in real world multi-label problems have a rich variety of relationships: Some labels may entail others (e.g., the presence of stars in a picture implies the relevance of night) or can be mutually exclusive (e.g., a realistic picture will likely not contain both trees and whales). There are also weaker types of relationships such as positive correlation (e.g., topics such as *politics* and *economics* tend to appear together). While such relationships can undoubtedly be exploited directly—some labels are predictable based on the co-occurrence with the others—the traditional deep neural networks incorporate label dependence information into the learning process only through multitasking (Nam et al., 2014; Bengio et al., 2013b). Indeed, all the recent architectures are designed to extract a hierarchy of representations from the input and to terminate with a single output layer that yields predictions. Even though they can be deep in the input space, they are flat in their output. One exception is the use of a hierarchical softmax (Jean et al., 2014) which organizes the set of labels as a tree. Unfortunately, unless the tree structure is known in advance, using a random tree has been shown to yield poor performance.

In this work, we propose a novel deep architecture for solving MLC tasks by directly leveraging label dependence information. Our proposal relies on a well-known observation in MLC (Deng et al., 2014): For a given example, it is often possible to infer the validity of several labels relying on the correctness information about a carefully chosen subset of categories. For instance, in scene classification, one does not need to observe an image before deciding the rightness of the label *night* once she knows that lights, stars or moon are present. In probabilistic terms, the labels *light*, *stars*, and *moon* separate the label *night* from the image; they are the Markov Blanket (MB) (Pearl, 2014). A partition of the set of tags into two subsets such that one subset is a Markov Blanket of the other, which we call a Markov Blanket Chained (MBC) partition, suggests a deep architecture composed of two main parts. The first part is akin to a traditional MLP and goes from the inputs to the labels of the Markov blanket. The second part goes from the Markov blanket to its complement set of categories, potentially with intermediate hidden layers. It uses the labels of the Markov Blanket as a high-level representation of the input data. Overall, the resulting Architecture is also Deep In the Output Space (ADIOS).

In practice, it is likely that an MBC partition does not strictly exist or cannot be precisely discovered since we only observe the relationships that are present in the data.

However, it is often possible to learn a good approximate MB that contains enough information to predict the other labels accurately. Moreover, in the cases where the information provided by the estimated MB is insufficient, composing this high-level information with a representation directly extracted from the input yields improved performance.

The remainder of the paper is organized as follows: Section 2 summarizes the previous related work. Section 3 presents a simple approach to building an approximate Markov Blanket Chained partition of the set of labels. In Section 4, the details of the model and the learning algorithm are provided. Section 5 presents experimental results on several popular and large multi-label datasets validating the model and providing several insights.

2. Related Work

Label dependence exploitation is a blossoming line of research in multi-label classification (Read et al., 2011; Hariharan et al., 2010; Weston et al., 2013). It has recently attracted significant contributions that fall into four main groups. The first family of approaches, to which classifier chains belong (Read et al., 2011; Zaragoza et al., 2011), expands the initial representation of the data with additional features that represent the labels. The methods of the second group (Tai & Lin, 2012; Hsu et al., 2009) assume a low-rank label matrix and learn a low-dimensional embedding of the labels capturing interdependencies between them. The most representative works in this direction are Principle Label Space Transformation (Tai & Lin, 2012), Compressed Sensing (Hsu et al., 2009), and Bloom Filters (Cisse et al., 2013). The techniques of the third category, such as Label Partitioning (Weston et al., 2013), cluster the labels based on their correlations to predict consistent sets. Finally, techniques such as Laconic (Bengio et al., 2013a) use external knowledge about label co-occurrences to regularize the model. All these methods bear resemblances to those presented in this work in that they exploit dependencies between labels to improve labeling performance. However, they are neither trainable end-to-end nor do they enjoy the appealing properties of deep architectures.

A more related approach is the recently introduced HEX model (Deng et al., 2014) that connects a traditional deep neural network to the labels through a known graph of relationships (hierarchical and mutual exclusivity) extracted from the Knowledge Graph (Singhal, 2012). Therefore, the HEX model is also deep both in the input and output spaces. However, it has several significant differences compared to our proposal: Firstly, ADIOS does not use a set of relationships extracted from a knowledge base. Instead, the composition of the output layers is learned from the data.

Secondly, ADIOS is not limited to a particular type of relationships between the labels. In contrast, it allows complex combinations of initial predictions to infer the other categories, potentially through the use of hidden layers between the output layers. Moreover, the inference is reduced to a mere forward pass rather than complicated procedures such as the one employed by the HEX model. Finally, HEX has been designed for *multi-class* tasks rather than *multi-label* and thus cannot be adapted easily for predicting label sets.

3. Approximate MBC Partitioning

Let $\mathcal{L} = \{\ell_1, \dots, \ell_m\}$ ($0 < m < \infty$) be a set of m labels and $S = \{(x_1, y_1) \dots, (x_n, y_n)\}$ a training set sampled from the distribution P defined on $\mathcal{X} \times \mathcal{Y}$, where \mathcal{X} is the space of instances and $\mathcal{Y} = 2^{\mathcal{L}}$ is the power set of \mathcal{L} . For every instance x_i , its corresponding label set is represented by an m -dimensional binary vector $y_i = (y_{i1}, \dots, y_{im}) \in \{0, 1\}^m$ such that $y_{ij} = 1$ if class label ℓ_j is relevant to example x_i and $y_{ij} = 0$ otherwise. We seek for a hypothesis $h : \mathcal{X} \rightarrow \mathcal{Y}$ learned from the training set S , to predict the label set y corresponding to unseen instances x by exploiting the dependencies between the tags. An essential element in our proposal is the existence of a partition (or a good approximation thereof) of the set of labels \mathcal{L} into an ordered set of disjoint subsets $(G_i)_{1 \leq i \leq p}$ such that every label $\ell \in G_i$ is independent of all the other labels given the labels in G_{i-1} . That is, the knowledge of G_{i-1} renders unnecessary all the information about ℓ not contained in G_{i-1} . We call such division a Markov Blanket Chained (MBC) partition. It generalizes the simple case where X is a Markov Blanket of Y (Nam et al., 2014).

An MBC may not exist in practice, *sensu stricto*. However, it is realistic to assume the existence of a good approximate partition of this kind. Indeed, in some application like bioinformatics, one may want to predict from proteins a heterogeneous set of labels consisting of $\{\textit{gene functions}, \textit{symptoms}, \textit{diseases}\}^1$. In this situation, it is common to predict *symptoms* from *gene functions* or *diseases* from *symptoms*. Here, we do not rely on an existing resource providing explicit dependencies between the labels. Instead, we restrict ourselves to a good partition of the set of labels into two disjoint subsets G_1 and G_2 ($G_1 \cup G_2 = \mathcal{L}$ and $G_1 \cap G_2 = \emptyset$) such that the labels in G_1 are predictive of those in G_2 . To that end, we use the *information gain* as a criterion and formulate the problem as follows:

$$\arg \max_{G_1 \subset \mathcal{L}, |G_1| \leq k} I(G_2; G_1) = H(G_2) - H(G_2|G_1) \quad (1)$$

where $H(\cdot)$ is the entropy. Since (G_1, G_2) is a partition of \mathcal{L} , if G_1 is a Markov Blanket of G_2 , then $I(G_2; G_1)$ is submodular and monotone because categories in G_1 are in-

Algorithm 1 Approximate MBC construction

input Label matrix Y , partition size $K = |G_1|$, approximation parameter k
set $G_1 = \mathcal{L}, G_2 = \emptyset$
for all $\ell_i \in G_1$ **do**
 $C_i = \text{Top-}k_{\ell_k \in G_1} \text{Corr}(\ell_i, \ell_k)$
end for
while $|G_1| < K$ **do**
 $\ell^* \leftarrow \arg \max_{\ell \in G_1} I(G_2 \cup \{\ell^*\}; G_1 - \{\ell^*\})$
 $G_1 \leftarrow G_1 - \{\ell^*\}$
 $G_2 \leftarrow G_2 \cup \{\ell^*\}$
 Update C_i for $\ell_i : \ell^* \in C_i$
end while
output (G_1, G_2)

dependent given those in G_2 (Krause & Guestrin, 2012). Therefore, the greedy algorithm would give a near optimal solution ($(1 - 1/e)$ approximation). However, if we start with $(G_2 = \mathcal{L}, G_1 = \emptyset)$, the independence assumption that guarantees the submodularity will clearly not hold. We use a backward procedure instead. We start with $(G_1 = \mathcal{L}, G_2 = \emptyset)$ and update G_2 at each step by adding to it the label $\ell_i \in G_1$ such that $H(G_2 \cup \{\ell_i\}) - H(G_2 \cup \{\ell_i\} | G_1 - \{\ell_i\})$ is maximal. The rationale behind this approach is that if G_1 is a Markov Blanket of G_2 and $\ell_i \in G_1$ has its Markov Blanket in $G_1 - \{\ell_i\}$, then $G_1 - \{\ell_i\}$ is a Markov Blanket of $G_2 \cup \{\ell_i\}$ as proved in Theorem 3 of (Koller & Sahami, 1995). The computation of the entropies at each step is exponential in the number of labels. To make this feasible, we use two approximations: (1) we only consider the combinations of labels represented in the training set. (2) Since $H(G_2|G_1)$ decomposes into a sum of conditional entropies $H(\ell_i|G_1)$ with $\ell_i \in G_2$ (thanks to the independence), we restrict the conditioning set to the k most correlated labels of ℓ_i in G_1 . Moreover, one could also add the features X in the conditioning set. However, this increases the complexity and does not improve the results. The procedure is summarized in Algorithm 1 where $\text{Corr}(\ell_i, \ell_k)$ represents the correlation between the labels ℓ_i and ℓ_k . This algorithm can further be accelerated by caching intermediate results as in the lazy-greedy method for maximizing submodular functions (Minoux, 1978).

We show in the experiments that the partition found by this method serves our purpose of building an architecture where G_1 is predictive of G_2 . Besides, the partitions obtained by Algorithm 1 are stable as they do not vary much with respect to the size of the data used to construct them. For example, on Delicious dataset (983 labels), we observe only a small difference between the partition obtained by using 30% of the training data compared to the one obtained using the entire dataset. Table 1 shows examples of labels from G_1 and G_2 after partitioning Delicious data.

¹<http://geneontology.org/>




Figure 1 & Table 1. The classical MLP (a) and the proposed ADIOS (b) models. The green nodes denote inputs; the gray are hidden units, and the red are the output units that predict labels. The table provides examples of the labels from Delicious dataset that were assigned to G_1 and G_2 layers by the MBC partitioning: G_1 got more specific labels, while G_2 got more abstract or ambiguous.

4. ADIOS Model

In this section, we present the ADIOS model that exploits an (approximate) MBC partition of the labels to learn a neural network that is deep both in the input and the output spaces. The first step towards this new model is the choice of a loss function suitable to the task of MLC. Recently, (Nam et al., 2014) has demonstrated that the Cross-Entropy (CE) should be preferred over other conventional loss functions in MLC such as the Pairwise Ranking loss when using neural networks for multilabel classification. Indeed, the CE has several desirable properties. It scales better with the number of labels, and it is easier to optimize (thanks to a better landscape). Moreover, it is consistent with both the Hamming Loss (HL) and the ranking loss. In the particular case of the ADIOS model, CE is particularly interesting as it decomposes over the subsets of the MBC partition, hence naturally suggesting the architecture of the model and its corresponding learning algorithm.

Proposition 1 Let $\mathcal{D} = \{(x, y)\}_{1 \leq i \leq m}$ sampled from the joint distribution $(X \times Y)$, $((X, G_1), G_2)$ a Markov Blanket Chained partition of this distribution, and $G_i(y_k)$ denotes the projection of a set of labels y_k to G_i . The CE loss of a hypothesis h from a hypothesis class H is given by:

$$\mathcal{L}_{\Theta}^{CE}(\mathcal{D}) = \sum_{i=1}^m \underbrace{\mathcal{L}_{\Theta_1}^{CE}(G_1(y_i), x_i)}_{\text{first layer CE}} + \underbrace{\mathcal{L}_{\Theta_{1,2}}^{CE}(G_2(y_i), (x_i, G_1(y_i)))}_{\text{second layer CE}} \quad (2)$$

Two main observations can be drawn from this proposition (see supplementary for the proof). First, it takes CE as used in (Nam et al., 2014) as a special case when $G_1 = \mathcal{L}$ and $G_2 = \emptyset$. Second, the loss function has a hierarchical structure. It has two main parts taking respectively as input, the original feature vector x_i , and the features x_i combined

with the label vector restricted to the subset G_1 , $G_1(y)$. Thus, predicting the categories $G_2(y)$ for a given test instance x would typically require $G_1(y)$ which is not known a priori. Therefore, it is necessary to rely on an estimation of $G_1(y)$ to predict $G_2(y)$. This implies the following question: why wouldn't one ignore the dependence and directly use x to predict $G_2(y)$? The reason is, if $G_1 \cup X$ is a Markov Blanket of G_2 , $(G_1(y), x)$ is a richer representations that can be more discriminative when predicting labels in G_2 . In particular, we show next that a neural network parameterization of the hypothesis h combined with our proposed learning algorithm results in a model that can more accurately predict $G_2(y)$ based on an estimation of $G_1(y)$ and X whenever G_1 carries enough information.

4.1. ADIOS DNN parameterization

We parameterize ADIOS as a deep neural network (DNN) building on the conclusions from the recent application of these models in the context of MLC. The set of parameters in the vanilla DNNs is the weight matrices transferring a given instance from the input layer to the output, potentially through several hidden layers. In contrast, ADIOS model has two distinct sets of parameters in agreement with the loss function. The first set of parameters, Θ_1 , operates in the input space and controls the prediction of $G_1(y)$. It consists of the weight matrices transferring the input x to the set of labels G_1 . The second set of parameters, Θ_2 , controls the prediction of $G_2(y)$. It contains the weight matrices going from the layer G_1 to G_2 , potentially with additional matrices transferring information from the input to G_2 . The final architecture has at least one input and two output layers as depicted in Figure 1b. Figure 1b corresponds to the following two cases: G_1 (left) or (G_1, X) (right) is a Markov Blanket of G_2 . The latter, which combines the information from the labels and the original features, is the one we consider for the rest of the paper.

4.2. ADIOS Learning

For a fixed architecture according to a partition (G_1, G_2) of the labels, learning the ADIOS model consists in minimizing the CE loss function defined in Proposition 1. For the neural network parameterization described previously, this loss function decomposes into two main components to which we add regularization terms for the sets of parameters $\Theta = \{\Theta_1, \Theta_2\}$. For a given $z = (x, y)$ we have:

$$\mathcal{L}_{\Theta}^{CE}(z) = \mathcal{L}_{\Theta_1}^{CE}(z) + \mathcal{L}_{\Theta_{1,2}}^{CE}(z) + \Omega(\Theta) \quad (3)$$

where $\mathcal{L}_{\Theta_1}^{CE}$ and $\mathcal{L}_{\Theta_{1,2}}^{CE}$ are the CE losses calculated on the predictions of $G_1(y)$ and $G_2(y)$, respectively.

As mentioned previously, $G_1(y)$ is usually not available at the test time. Hence, using $G_1(y)$ as input to fit the parameters Θ_2 would cause a misfit between the train and test distributions. Therefore, during training, we resort to an estimate of $G_1(y)$ output by the first part of the network. Various regularization procedures such as dropout (Srivastava et al., 2014) or batch normalization (Ioffe & Szegedy, 2015) can be applied to hidden layers either to prevent overfitting or to accelerate training. However, we found beneficial to add to each output layer a L_1 penalty on the vector of its activations. This regularization constraints the network to produce sparse label vectors hence matching the sparsity of the output space in most MLC problems. Indeed for a given example, only a few labels are likely to be active at every output layer.

All the parameters of the network are jointly optimized using stochastic gradient descent. This naturally implements a sort of curriculum learning where we first learn to predict the subset of labels G_1 , then build on top of this knowledge and learn to predict G_2 by composing the previous predictions with a high-level representation of the inputs x given by hidden layers (see Figure 1b-left). Joint optimization also provides sharing of statistical strength through multitasking. In fact, due to the depth in the output space, there are two levels of multitasking: between labels of the same group and across different groups of tags. As we show in the experiments, this results in improved performance compared to the standard MLP with a flat output layer. In fact, this multi-layer approach in the output space is akin to using recurrent networks to predict sequences of tokens, where the joint probability of the output sequence is factorized into the product of the probabilities of each token given the previous ones and the input.

5. Experiments

We conducted many experiments to verify the following claims: (1) the approximate Markov blankets, constructed as described in Section 3, are often better predictors of the rest of the labels than the original features,

Table 2. Statistics of the datasets. Number of examples ranges from tens of thousands to a million. Last column provides information about the average number of labels per example.

Dataset	Size	Inputs	Labels	avg. labels per example
Delicious	16,105	500	983	19.0
MediaMill	43,907	120	101	4.5
SUN2012	100,000	1024	2304	9.8
NUS-WIDE	269,648	500	81	2.4
BioASQ	1,181,338	500	4587	4.7

(2) label-based (explicit) high-level representations lead to better discrimination than hidden implicit features, and (3) ADIOS achieves the state-of-the-art results on popular and large datasets. Finally, we provide a few useful insights about the behavior of the models, deep in the output space.

5.1. Datasets

We used three readily available datasets that are popular in the multi-label community²: *Delicious* (text), *MediaMill* (video) and *NUS-WIDE* (images). Additionally, we pre-processed and used two other datasets of moderate and large size: image data from *SUN2012* (Xiao et al., 2010) and text data from *BioASQ* competition of 2015³.

The SUN2012 image data was augmented to 100,000 examples using small random shifts and rotations. Using the *Caffe* library (Jia et al., 2014), each image was passed through a version of *GoogleNet* (Szegedy et al., 2015) pre-trained on *ImageNet* and the last layer composed of 1024 features were used as input to the ADIOS model. The labels were constructed from the object tags provided in the data.

The BioASQ data consisted of abstracts of medical articles and corresponding tags assigned by experts. We selected the 5000 most frequent tags and applied *doc2vec* (Le & Mikolov, 2014) to the corresponding abstracts using the *gensim* library⁴, producing 500-dimensional feature vectors per abstract, which were used as input to ADIOS. We further selected only the abstracts that were assigned at least four tags. This produced a multi-label dataset with approximately one million examples.

All the datasets were randomly split into a fixed training (60%), testing (20%) and validation sets (20%). The hyperparameters of all the models (the baselines and our proposed ADIOS model) were tuned using the validation set. Statistics of all the datasets are summarized in Table 2.

²<http://mulan.sourceforge.net>

³<http://bioasq.org>

⁴<http://radimrehurek.com/gensim>

5.2. Experimental Setup

Baselines. In our experiments, we compared ADIOS to the following baselines:

- *Binary Relevance* (BR) — (also called one-vs-all) is a set of m independent logistic regression classifiers.
- *Principle Label Space Transformation* (PLST) (Tai & Lin, 2012) learns a low dimensional representation of the labels by performing an SVD on the label matrix. Therefore, it assumes a low-rank label matrix and captures correlations between the labels.
- *Multi-Label Prediction via Compressed Sensing* (MLCS) (Hsu et al., 2009). This approach also assumes a low-rank label matrix. However, it embeds the labels in a lower dimensional space using random projections and relies on sparse recovery algorithms such as Orthogonal Matching Pursuit (OMP) or Lasso to recover the original labels from the predicted low dimensional representation.
- *FastXML* (Prabhu & Varma, 2014) is an ensemble method that learns a set of hierarchies over the feature space to optimize the nDCG ranking metric.
- *Multi-Layer Perceptron* (MLP) trained to minimize the cross-entropy (CE) loss as in (Nam et al., 2014).

Hyper-parameters selection. For all the compared models (ADIOS and baselines), we used the validation set to select the hyper-parameters. For neural network models, we used hidden layers with 1024 ReLU units and trained the models using Adagrad with 20 to 50% dropout and batch normalization. Additionally, we used L_2 regularization on the weight matrices and L_1 activity regularization on the output layers when it improved performance (typical values ranged between 10^{-4} to 10^{-3} for all the datasets).

For PLST and MLCS, we used linear regression with L_2 regularization to predict the low-dimensional embedding of the labels. Moreover, we fixed, the dimensionality of the embedding space to 500 on all datasets except on Delicious and NUS-WIDE where we used 50. Larger embedding dimensions did not increase performance. For MLCS, we used Lasso to recover the original labels. For FastXML, we fixed the number of trees per ensemble to 50.

Our model had a similar configuration to MLP: one hidden layer with 1024 ReLU units between inputs and G_1 . We then added another 512-dimensional ReLU hidden layer between the hidden layer before G_1 and G_2 as well as direct connections between G_1 and G_2 , as illustrated in the third diagram in Figure 1. Both hidden layers were regularized with 20-50% dropout and batch normalization. Additionally, activity regularization (with 10^{-4} to 10^{-3} coefficients) was imposed on the output layers. ADIOS models

were implemented as an extension of the *Keras* machine learning library⁵.

Metrics. One of the crucial differences between the traditional multi-class (or binary) and the multi-label settings is the evaluation metrics of interest. While performance on the former task is well summarized by two principal measures, *precision* and *recall* (and their combinations, such as F_1), performance on the latter can be assessed in a variety of ways (Tsoumakas & Katakis, 2007). The main metrics used for comparison are Macro-F1 and Micro-F1, which are computed as follows:

- **Macro-F1** is a category-based evaluation measure. It weighs all categories equally and hence is more sensitive to the ability of the classifier to detect rare classes. Denoting the precision and recall of category c by P_c and R_c , respectively, Macro-F1 is given by:

$$P_c = \frac{TP_c}{TP_c + FP_c}, \quad R_c = \frac{TP_c}{TP_c + FN_c},$$

$$\text{Macro-F1} = \frac{1}{|\mathcal{C}|} \sum_{c \in \mathcal{C}} \frac{2P_c \cdot R_c}{P_c + R_c}.$$

where TP_c , FP_c and FN_c denote respectively the true-positives, false-positives, and false-negatives for the class label $c \in \mathcal{C}$.

- **Micro-F1** is an instance-based evaluation measure and therefore weights higher categories that have higher fraction in the test set:

$$P = \frac{\sum_{c \in \mathcal{C}} TP_c}{\sum_{c \in \mathcal{C}} TP_c + FP_c}, \quad R = \frac{\sum_{c \in \mathcal{C}} TP_c}{\sum_{c \in \mathcal{C}} TP_c + FN_c},$$

$$\text{Micro-F1} = 2 \frac{P \cdot R}{P + R}.$$

- **Precision@K:** It is the fraction of correct predictions among the first K predicted labels. It measures how well an algorithm performs as a ranking model.

Prediction. Both the baselines and ADIOS, once trained, return scores for each label that need to be turned into specific predictions via thresholding. In the multilabel setting, mere 0.5 threshold is usually suboptimal regarding the metrics of interest. Therefore, we employ adaptive thresholding (Nam et al., 2014): For a given trained model (a baseline or ADIOS), for each sample in the training data, we find a threshold that maximizes F_1 score when applied to the model’s predictions. Next, we regress features of the training data to these optimal thresholds. Finally, when the model is tested on a new example, we obtain both

⁵Keras library: <http://keras.io>. Our code is available at <https://github.com/alshedivat/adios>.

Table 3. Predictiveness of features and MBC labels. Macro F_1 score and $P@5$ were computed on the labels assigned to G_2 predicted either from the features, X , or from the labels of G_1 .

Dataset	X size	G_1 size	maF1 on G_2		P@5 on G_2	
			X	G_1	X	G_1
Delicious	500	500	21.54	38.70	55.61	47.44
MediaMill	120	50	11.49	22.57	45.48	17.36
NUS-WIDE	500	40	11.93	10.64	12.83	25.36

the scores (returned by the model) and the adaptive label-specific thresholds (predicted using regression)⁶.

5.3. Results

Predictiveness of Markov blankets. We start by validating our claim that given a good approximate MBC partition of the labels into (G_1, G_2) , the labels in G_1 can, in fact, be better predictors of the labels in G_2 than the original features. To that end, we first do an MBC partition of the set of labels into two equal subsets G_1 and G_2 . Then, we compare an MLP trained on the original features with an MLP trained on the labels from G_1 (i.e., using them as input vectors) to predict the labels in G_2 . In this task, we performed experiments on three of the datasets and measured macro F_1 and $P@5$ to capture the global performance and goodness of ranking.

The results are presented in Table 3. We notice that the first two datasets, Delicious, and MediaMill, Markov blankets turn out to be far more predictive than the original features regarding the macro F_1 score. In other words, G_1 labels are better at predicting rare items in G_2 . At the same time, features turn out to be outperforming G_1 representations concerning $P@5$ metric, which means that they are better associated with the dominant (highly frequent) labels.

Interestingly, we observe quite an opposite behavior of predictiveness of features and G_1 on the NUS-WIDE data. Features marginally outperform G_1 labels in macro F_1 , but achieve twice lower $P@5$ score. Such behavior is potentially the consequence of the low ratio of the number of labels to the number of features in this dataset. Therefore, the labels in G_1 can capture only strong correlations while the features possess higher discriminative power over all the labels.

Nevertheless, we see that Markov blankets indeed have additional discriminative power on one or the other metric. Therefore, a clever combination of the information from features and G_1 labels can help to overcome performance trade-offs. We further show that joint training of the proposed ADIOS model with the additional hidden layer can use this information and achieve state-of-the-art results re-

⁶The only exception in our experiments was FastXML model which underperformed when adaptive thresholding was applied. Therefore, we used FastXML as is.

garding both global and ranking metrics.

Table 4. Performance of the baselines and ADIOS on the five datasets. The metrics used are macro F_1 (maF1), micro F_1 and precision at K ($P@K$) for $K = 1, 5, 10$.

Data	Model	maF1	miF1	P@1	P@5	P@10
Delicious	BR	14.32	36.49	43.48	40.29	38.58
	PLST	9.37	36.22	41.85	39.90	38.90
	MLCS	2.08	20.14	32.90	22.26	22.39
	FastXML	11.34	23.13	68.38	58.58	49.50
	MLP	15.12	38.81	68.12	57.14	48.81
	ADIOS _{RND}	15.47	38.93	67.81	58.36	49.26
	ADIOS _{MBC}	17.69	39.31	69.66	59.13	49.36
MediaMill	BR	7.00	57.27	65.31	43.79	23.62
	PLST	6.56	56.57	65.12	44.60	23.67
	MLCS	2.91	49.58	73.30	39.73	20.94
	FastXML	11.16	33.25	82.45	51.98	33.24
	MLP	9.71	59.06	86.93	55.12	35.47
	ADIOS _{RND}	14.72	56.22	87.55	55.56	35.57
	ADIOS _{MBC}	16.01	60.01	88.53	56.12	35.77
SUN2012	BR	0.38	0.47	55.27	40.55	28.79
	PLST	0.38	0.47	55.27	40.55	28.75
	MLCS	0.72	0.76	35.55	23.19	14.83
	FastXML	0.56	0.91	54.42	39.98	28.07
	MLP	0.09	28.61	55.27	40.55	28.79
	ADIOS _{RND}	0.15	27.29	54.43	40.21	28.57
	ADIOS _{MBC}	0.18	30.32	56.42	40.86	28.80
NUS-WIDE	BR	7.94	31.60	37.77	18.88	11.40
	PLST	4.38	37.60	40.49	21.70	13.85
	MLCS	1.87	28.23	27.75	18.54	12.37
	FastXML	6.14	11.93	41.76	22.17	14.01
	MLP	14.00	42.09	51.72	27.53	17.87
	ADIOS _{RND}	11.41	41.87	55.46	29.50	18.68
	ADIOS _{MBC}	14.14	41.85	56.39	29.65	19.71
BioASQ	BR	0.03	14.69	13.74	13.49	6.78
	PLST	0.03	14.69	13.80	13.48	6.77
	MLCS	0.03	14.73	11.98	13.95	7.01
	FastXML	0.19	3.80	19.55	13.68	9.20
	MLP	14.86	42.40	67.46	41.32	27.52
	ADIOS _{RND}	15.91	43.11	66.97	40.96	27.46
	ADIOS _{MBC}	16.14	43.49	67.28	41.77	27.98

Table 5. Performance rank of the models on different metrics averaged over all datasets.

Model	Average performance rank on a given metric				
	maF1	miF1	P@1	P@5	P@10
BR	4.0	4.6	5.2	5.4	5.8
PLST	5.0	4.8	5.6	5.6	5.4
MLCS	5.4	6.0	6.0	6.0	6.0
FastXML	4.0	6.2	3.4	3.8	3.2
MLP	3.6	2.2	2.8	2.8	2.6
ADIOS _{RND}	2.8	3.0	2.8	2.6	2.4
ADIOS _{MBC}	1.6	1.2	1.2	1.0	1.2

The main result. We now compare ADIOS to the previously described baselines on five datasets. To further vali-




Figure 2. Left two charts: Macro F_1 computed on G_2 labels for ADIOS and MLP on Delicious and MediaMill. Both models had the same number of parameters. Right two charts: Macro F_1 for MLP and ADIOS trained on small subsets of Delicious and MediaMill.

date the importance of learning a partition and the effectiveness of Algorithm 1, we also demonstrate the performance of an ADIOS architecture for which the partitions (G_1, G_2) are created at random. We call this approach ADIOS_{RND} as opposed to the model using a learned partition which we denote ADIOS_{MBC}. On each dataset, ADIOS_{RND} has the same architecture as the best performing ADIOS_{MBC} model. All the results are shown in Table 4. This table is complemented by Table 5 that contains the average ranks of every approach over the datasets on each of the five performance measures we use. The average ranks are used to decide the significance of the results by using a Bonferroni-Dunn test as suggested by Demšar (2006).

First, ADIOS_{MBC} consistently outperforms all the compared methods on all the datasets across all the performance measures we consider in this study. Indeed, it achieves good results both on ranking metrics and classification ones while most of the other baselines are more specialized to one metric. For example, FastXML is particularly optimized for ranking (it is trained by minimizing nDCG); as a result, it achieves good $P@K$ while having low F_1 -measures globally.

As suggested by the results of Table 3, combining the soft predictions of G_1 with high level hidden features to predict labels in G_2 boosts performance even when the original features are supposedly more predictive of labels in G_2 . This is typically the case for the NUS-WIDE dataset where such combination leads to improved Macro F_1 score. Note that to achieve such improvements; it was important to learn a proper approximate MBC partition of the labels rather than randomly assign them to G_1 and G_2 layers. Indeed, on the same NUS-WIDE dataset, for example, ADIOS_{RND} has substantially lower classification scores (Micro and Macro F-measures) than MLP despite using the same architecture as ADIOS_{MBC}.

In real-world multi-label applications, it is often the case that only a handful of *target labels* is of particular interest. In such case, one may use the rest of the labels as auxil-

iary to form an approximate Markov blanket for the target labels. We compared ADIOS_{MBC} and MLP in such scenario on Delicious and MediaMill data by varying the size of G_1 layer and testing both models on G_2 labels only. The left two charts of Figure 2 demonstrate the superiority of ADIOS.

Also, as depicted in the right two plots of Figure 2, ADIOS_{MBC} has a better behavior than MLP in the small sample setting. In particular on MediaMill, when we consider only 40% of the training data, the Macro F-1 of ADIOS is almost twice as good as MLP. This opens several perspectives regarding a better use of supervision to boost classification performance when data is scarce.

6. Perspectives

As available datasets become bigger and richer in terms of their annotations, multi-label classification becomes an important class of problems to handle with modern machine learning approaches. The advent of deep architectures has mostly focused on extracting complex representations from input data. In this paper, we presented ADIOS, an approach to better learn problems with underlying unknown structured label space. We have shown that using a factor representation of labels, determined by a learned Markov Blanket can result in improved performance with reduced complexity. While we have experimented with only 2 layers of labels, some problems can potentially benefit from an even deeper factorization. The approach could also be useful for zero-shot learning when one wants to predict G_2 in situations where only G_1 is observed during training. It also paves the way to new methods for transfer learning when the information for G_1 is available, but the actual task of interest is G_2 .

Acknowledgements

M.C thanks Nicolas Usunier and Florent Perronnin for their insightful comments on the initial version of this

manuscript. Part of this work was done while M.C. and M.A were at KAUST. We also thank LIP6-UPMC for access to its computational resources.

References

- Bengio, Samy, Dean, Jeff, Erhan, Dumitru, Ie, Eugene, Le, Quoc, Rabinovich, Andrew, Shlens, Jonathon, and Singer, Yoram. Using web co-occurrence statistics for improving image categorization. *arXiv preprint arXiv:1312.5697*, 2013a.
- Bengio, Yoshua, Courville, Aaron, and Vincent, Pascal. Representation learning: A review and new perspectives. *Pattern Analysis and Machine Intelligence, IEEE Transactions on*, 35(8):1798–1828, 2013b.
- Caruana, Rich. Multitask learning. *Machine learning*, 28(1):41–75, 1997.
- Cisse, Moustapha M, Usunier, Nicolas, Artieres, Thierry, and Gallinari, Patrick. Robust bloom filters for large multilabel classification tasks. In *Advances in Neural Information Processing Systems*, pp. 1851–1859, 2013.
- Dembczyński, Krzysztof, Waegeman, Willem, Cheng, Weiwei, and Hüllermeier, Eyke. On label dependence and loss minimization in multi-label classification. *Machine Learning*, 88(1-2):5–45, 2012.
- Demšar, Janez. Statistical comparisons of classifiers over multiple data sets. *The Journal of Machine Learning Research*, 7:1–30, 2006.
- Deng, Jia, Dong, Wei, Socher, Richard, Li, Li-Jia, Li, Kai, and Fei-Fei, Li. Imagenet: A large-scale hierarchical image database. In *Computer Vision and Pattern Recognition, 2009. CVPR 2009. IEEE Conference on*, pp. 248–255. IEEE, 2009.
- Deng, Jia, Ding, Nan, Jia, Yangqing, Frome, Andrea, Murphy, Kevin, Bengio, Samy, Li, Yuan, Neven, Hartmut, and Adam, Hartwig. Large-scale object classification using label relation graphs. In *Computer Vision—ECCV 2014*, pp. 48–64. Springer, 2014.
- Duchi, John, Hazan, Elad, and Singer, Yoram. Adaptive subgradient methods for online learning and stochastic optimization. *The Journal of Machine Learning Research*, 12:2121–2159, 2011.
- Glorot, Xavier, Bordes, Antoine, and Bengio, Yoshua. Deep sparse rectifier networks. In *Proceedings of the 14th International Conference on Artificial Intelligence and Statistics. JMLR W&CP Volume*, volume 15, pp. 315–323, 2011.
- Hariharan, B., Zelnik-Manor, L., Vishwanathan, S. V. N., and Varma, M. Large scale max-margin multi-label classification with priors. In *Proceedings of the International Conference on Machine Learning*, June 2010.
- Hinton, Geoffrey E, Srivastava, Nitish, Krizhevsky, Alex, Sutskever, Ilya, and Salakhutdinov, Ruslan R. Improving neural networks by preventing co-adaptation of feature detectors. *arXiv preprint arXiv:1207.0580*, 2012.
- Hsu, Daniel, Kakade, Sham, Langford, John, and Zhang, Tong. Multi-label prediction via compressed sensing. In *NIPS*, volume 22, pp. 772–780, 2009.
- Ioffe, Sergey and Szegedy, Christian. Batch normalization: Accelerating deep network training by reducing internal covariate shift. In *Proceedings of The 32nd International Conference on Machine Learning*, pp. 448–456, 2015.
- Jean, Sebastien, Cho, Kyunghyun, Memisevic, Roland, and Bengio, Yoshua. On using very large target vocabulary for neural machine translation. *arXiv preprint arXiv:1412.2007*, 2014.
- Jia, Yangqing, Shelhamer, Evan, Donahue, Jeff, Karayev, Sergey, Long, Jonathan, Girshick, Ross, Guadarrama, Sergio, and Darrell, Trevor. Caffe: Convolutional architecture for fast feature embedding. *arXiv preprint arXiv:1408.5093*, 2014.
- Koller, Daphne and Sahami, Mehran. Toward optimal feature selection. In *13th International Conference on Machine Learning*, 1995.
- Krause, Andreas and Guestrin, Carlos E. Near-optimal nonmyopic value of information in graphical models. *arXiv preprint arXiv:1207.1394*, 2012.
- Le, Quoc V and Mikolov, Tomas. Distributed representations of sentences and documents. *arXiv preprint arXiv:1405.4053*, 2014.
- Minoux, Michel. Accelerated greedy algorithms for maximizing submodular set functions. In *Optimization Techniques*, pp. 234–243. Springer, 1978.
- Nam, Jinseok, Kim, Jungi, Mencía, Eneldo Loza, Gurevych, Iryna, and Fürnkranz, Johannes. Large-scale multi-label text classification—revisiting neural networks. In *Machine Learning and Knowledge Discovery in Databases*, pp. 437–452. Springer, 2014.
- Olshausen, Bruno A and Field, David J. Sparse coding with an overcomplete basis set: A strategy employed by V1? *Vision research*, 37(23):3311–3325, 1997.
- Partalas, Ioannis, Kosmopoulos, Aris, Baskiotis, Nicolas, Artieres, Thierry, Paliouras, George, Gaussier, Eric, Androutopoulos, Ion, Amini, Massih-Reza, and Galinari, Patrick. Lshc: A benchmark for large-scale text classification. *arXiv preprint arXiv:1503.08581*, 2015.
- Pearl, Judea. *Probabilistic reasoning in intelligent systems: networks of plausible inference*. Morgan Kaufmann, 2014.
- Prabhu, Yashoteja and Varma, Manik. Fastxml: a fast, accurate and stable tree-classifier for extreme multi-label learning. In *Proceedings of the 20th ACM SIGKDD international conference on Knowledge discovery and data mining*, pp. 263–272. ACM, 2014.
- Read, Jesse, Pfahringer, Bernhard, Holmes, Geoff, and Frank, Eibe. Classifier chains for multi-label classification. *Machine learning*, 85(3):333–359, 2011.
- Singhal, Amit. Introducing the knowledge graph: things, not strings. *Official Google Blog*, May, 2012.
- Srivastava, Nitish, Hinton, Geoffrey, Krizhevsky, Alex, Sutskever, Ilya, and Salakhutdinov, Ruslan. Dropout: A simple way to prevent neural networks from overfitting. *The Journal of Machine Learning Research*, 15(1):1929–1958, 2014.

- Szegedy, Christian, Liu, Wei, Jia, Yangqing, Sermanet, Pierre, Reed, Scott, Anguelov, Dragomir, Erhan, Dumitru, Vanhoucke, Vincent, and Rabinovich, Andrew. Going deeper with convolutions. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 1–9, 2015.
- Tai, Farbound and Lin, Hsuan-Tien. Multilabel classification with principal label space transformation. *Neural Computation*, 24(9):2508–2542, 2012.
- Tsoumakas, Grigorios and Katakis, Ioannis. Multi-label classification: An overview. *Int J Data Warehousing and Mining*, 2007:1–13, 2007.
- Weston, Jason, Makadia, Ameesh, and Yee, Hector. Label partitioning for sublinear ranking. In *Proceedings of the 30th International Conference on Machine Learning (ICML-13)*, pp. 181–189, 2013.
- Xiao, Jianxiong, Hays, James, Ehinger, Krista A, Oliva, Aude, and Torralba, Antonio. Sun database: Large-scale scene recognition from abbey to zoo. In *Computer vision and pattern recognition (CVPR), 2010 IEEE conference on*, pp. 3485–3492. IEEE, 2010.
- Zaragoza, Julio H, Sucar, Luis Enrique, Morales, Eduardo F, Bielza, Concha, and Larranaga, Pedro. Bayesian chain classifiers for multidimensional classification. In *IJCAI*, volume 11, pp. 2192–2197, 2011.