

---

# CONTINUOUS PSEUDO-LABELING FROM THE START

---

A PREPRINT

Dan Berrebbi<sup>\*1</sup>, Ronan Collobert<sup>2</sup>, Samy Bengio<sup>2</sup>, Navdeep Jaitly<sup>2</sup>, Tatiana Likhomanenko<sup>2</sup>

<sup>1</sup>Carnegie Mellon University, <sup>2</sup>Apple

dberrebb@andrew.cmu.edu, {collobert,bengio,njaitly,antares}@apple.com

October 18, 2022

## ABSTRACT

Self-training (ST), or pseudo-labeling has sparked significant interest in the automatic speech recognition (ASR) community recently because of its success in harnessing unlabeled data. Unlike prior semi-supervised learning approaches that relied on iteratively regenerating pseudo-labels (PLs) from a trained model and using them to train a new model, recent state-of-the-art methods perform ‘continuous training’ where PLs are generated using a very recent version of the model being trained. Nevertheless, these approaches still rely on bootstrapping the ST using an initial supervised learning phase where the model is trained on labeled data alone. We believe this has the potential for over-fitting to the labeled dataset in low resource settings and that ST from the start of training should reduce over-fitting. In this paper we show how we can do this by dynamically controlling the evolution of PLs during the training process in ASR. To the best of our knowledge, this is the first study that shows the feasibility of generating PLs from the very start of the training. We are able to achieve this using two techniques that avoid instabilities which lead to degenerate models that do not generalize. Firstly, we control the evolution of PLs through a curriculum that uses the online changes in PLs to control the membership of the cache of PLs and improve generalization. Secondly, we find that by sampling transcriptions from the predictive distribution, rather than only using the best transcription, we can stabilize training further. With these techniques, our ST models match prior works without an external language model.

## 1 Introduction

The past few years have witnessed a growth in methods that leverage large amounts of unlabeled data in domains such as speech, vision and language to produce state-of-the-art results, e.g. Baevski et al. (2020, 2022); Chen et al. (2020a); Caron et al. (2021); He et al. (2022); Cai et al. (2022); Brown et al. (2020); Ramesh et al. (2021). Amongst the techniques that have made this possible are self-supervised learning (SSL) and self-training (ST) (Scudder, 1965; Lee, 2013). While SSL is typically used in unsupervised settings, ST is applied in supervised settings where labeled data can be extended with unlabeled data that is labeled using a prior model, a process known as pseudo-labeling (PL). These techniques can reduce the burden of expensive labeling processes while successfully training data hungry models such as transformers using large quantities of unlabeled data.

Current state-of-the-art SSL methods in speech (Baevski et al., 2020; Hsu et al., 2021; Baevski et al., 2022; Chung et al., 2021) are typically trained in two phases. First the models are pre-trained on thousands of hours of unlabeled speech, and then they are further adapted by fine-tuning on the actual task of automatic speech recognition (ASR) using a smaller supervised set. However, because the pre-training (PT) phase is task agnostic, self-supervision can under-perform on a specific downstream task (Talnikar et al., 2021; Dery et al., 2022). Further, SSL pre-training leads to a more complicated pipeline involving multiple phases. By contrast, ST algorithms also use unlabeled data but do not require phases of training with different objectives that makes the training pipeline simpler.

In this paper, we focus on recent ST algorithms that perform ‘continuous training’ of a single model. In contrast to earlier ST training methods that iterate between generating PLs over the entire unlabeled dataset and training the model

---

\*Work done during internship at Apple.

Table 1: Continuous ST (using slimIPL) with different pretraining steps ( $M$ ) using a 10 hour dataset reveals that more pretraining can lead to worse results (here we show WER on dev-clean).

M	10k	20k	40k
WER	14.3	17.1	22.9

(teacher-student) (Synnaeve et al., 2020; Kahn et al., 2020a; Zhang et al., 2020; Park et al., 2020), here pseudo-labels (PLs) are generated online with a very recent version of the model (Xu et al., 2020; Likhomanenko et al., 2021a; Manohar et al., 2021; Higuchi et al., 2021, 2022a,b) and training is faster and more resource-efficient. One of the main challenges for continuous ST is training stability (Likhomanenko et al., 2021a; Higuchi et al., 2021, 2022b; Cai et al., 2022). While these prior works use various techniques for stabilization, one common ingredient is that models are initially trained on labeled data for  $M$  steps. slimIPL (Likhomanenko et al., 2021a) showed robustness to  $M$  in some settings, but a well-established recipe does not seem to exist for the case of small labeled datasets (aka. the low resource setting). Indeed, we find that more pretraining steps, compared to what was shown previously in (Likhomanenko et al., 2021a), can lead to worse results (see Table 1). We hypothesize that this is due to over-fitting to the labeled set early in training in low resource settings and in this paper we try to improve results by doing ST without any pretraining (i.e.  $M = 0$ ). However, in our experiments, off the shelf slimIPL diverges early in training in low resource settings, so we developed methods to address this problem which we summarize here:

- We show that sampling transcriptions from the output distribution instead of using the best transcription makes ST robust and stable, especially when no pre-training is performed.
- We propose a new curriculum for controlling the PL distribution during training. The curriculum uses the Levenshtein distance between PLs at different time steps to control how PLs are updated, and how unsupervised examples are chosen for training.

For the first time, with these strategies we show that continuous PL can be done from the start of the training matching prior works without an external language model.

## 2 Experimental Setup and Related Methods

**Data** All our experiments are performed using the LibriSpeech dataset (Panayotov et al., 2015). We use the *train-clean-360* and *train-other-500* regular subsets as unlabeled data, and consider either a subset of 10h randomly drawn from *train-clean-100*, or the full 100h set (*train-clean-100*) as labeled data. Comparisons with existing works are also provided using the 10h subset from Libri-Light (Kahn et al., 2020b)<sup>2</sup>.

**Acoustic model** Following Likhomanenko et al. (2021a), models were trained with English letters token set<sup>3</sup>, the Connectionist Temporal Classification Graves et al. (2006) (CTC) loss, identical SpecAugment (Park et al., 2019) parameters, and Adagrad optimizer (Duchi et al., 2011). The acoustic model is the same transformer architecture that was introduced in slimIPL, except that we encode the position either with absolute sinusoidal positional embeddings (Vaswani et al., 2017) or the recently proposed CAPE (Likhomanenko et al., 2021b) instead of relative positional embeddings (Shaw et al., 2018). This allows us to speed up training (by 2-3x) and decrease the memory footprint significantly. All models are trained on 8 GPUs for a maximum of 500k updates. We used either a static batch of 8 examples or a dynamic batch that packs  $\sim 290$ s of audio per GPU.

**Continuous Pseudo-Labeling in ASR** Let  $L = \{x_i, y_i\}$  and  $U = \{x_j\}$  be the labeled and unlabeled datasets, respectively. We consider a semi-supervised PL approach where an acoustic model  $\mathcal{A}(x; \theta)$  with model parameters  $\theta$  is continuously trained on a combination of  $L$  and a pseudo-labelled set derived from  $U$ . The model is trained by minimizing a loss

$$\mathcal{L}(\theta) = \mathcal{L}_L(\theta) + \lambda \mathcal{L}_U(\theta), \quad (1)$$

where  $\lambda \in \mathbb{R}^+$  is a tunable hyper-parameter controlling the importance of unlabeled data. The loss for labeled data is defined as  $\mathcal{L}_L(\theta) = -\mathbb{E}_{(x,y) \sim L} \log p_{\theta}(y|x)$ , where  $p_{\theta}(y|x)$  is the conditional distribution defined by  $\mathcal{A}(x; \theta)$ . The loss for unlabeled data is defined as  $\mathcal{L}_U(\theta) = -\mathbb{E}_{x \sim U} \log p_{\theta}(\hat{y}|x)$ , where  $\hat{y}$  is the PL transcription for a data point

<sup>2</sup>Libri-Light 10h subset contains only 24 speakers, drawn from the *whole* LibriSpeech. Randomly sampling from *train-clean-100* retains the original 250 speakers from this subset.

<sup>3</sup>26 letters augmented with the apostrophe and a word boundary token.

generated using the model being trained. Specifically,

$$\hat{y} = \underset{y}{\operatorname{argmax}} \log p_{\theta}(y|x), \quad (2)$$

Continuous pseudo-labeling keeps updating the pseudo-labels via Eq. (2), as the model trains. This procedure is prone to divergence, as without any constraint PLs can self-reinforce rapidly to a trivial distribution.

**Methods to stabilize training** Several approaches have been proposed to stabilize continuous PL. A pre-training phase (PT) on the supervised data only (optimizing the loss  $\mathcal{L}_L(\theta)$  for  $M$  updates) is always a key component. For e.g. in Chen et al. (2020b) PT is performed until full convergence. Another technique is the use of an exponential moving average (EMA) of the acoustic model to generate the pseudo-labels in Eq. (2) (Likhomanenko et al., 2021a; Manohar et al., 2021; Higuchi et al., 2021, 2022b; Zhang et al., 2022).

**slimIPL** To avoid the significant memory footprint of EMA Likhomanenko et al. (2021a) introduced slimIPL, which uses a dynamic cache instead of the EMA to stabilize the training. The cache maintains a set of unlabeled samples  $U^c$  (with fixed size  $|U^c| = C$ ) and their associated PLs, generated by previous model states. After the pre-training phase, slimIPL minimizes the loss in Eq. (1), using the unlabeled subset  $U^c$ , which is itself updated as training goes: at each iteration, slimIPL removes a sample from the cache with probability  $p_{out}$ , replacing it with a new one  $x \in U$  along with its generated PL. More details about slimIPL can be found in Appendix A and in Figure 1.

**PL selection** Pseudo-labels selection can help to achieve better convergence by filtering out noisy PLs that prevent model from good convergence. There are also a lot of efforts on the curriculum pseudo-labeled data selection: e.g. confidence filtering (Zhang et al., 2021) or assigning weights to pseudo-labeled data based on the model uncertainty estimation (Huang et al., 2022). One of the recent works (Zhang et al., 2022) in ASR proposes to use PLs curriculum filtering based on the Levenshtein distance between PLs generated for original and weakly augmented inputs. Later we will see that our idea is based solely on the PL evolution rather than on input augmentation.

**Relation to consistency regularization** Popular consistency regularization methods (Sajjadi et al., 2016; Laine & Aila, 2016; Sohn et al., 2020; Berthelot et al., 2019) leverage the idea that a model should output the same distribution for an unlabeled example even after it has been augmented. In this paper we take inspiration from these works but we focus on an orthogonal view: we consider distances between model outputs at different time steps. Also, contrary to consistency regularization methods, we do not use this distance as an objective function to train a model but as a data selection criterion.

**Hyperparameter Selection** All hyper-parameters and model selections are performed using *dev-clean* and *dev-other* sets. We report final token (TER) or word (WER) error rates on *test-clean* and *test-other* sets. In all experiments, we only tune hyper-parameters ( $C$ ,  $p_{out}$ ,  $M$ ,  $\lambda$ ) from the training procedure while everything else is kept as in the slimIPL paper. By default we use  $C = 1000$ ,  $\lambda = 1$ ,  $M = 0$ . In most experiments we try 3 different random seeds and report metric mean and standard deviation.

### 3 Motivation

Existing continuous PL approaches rely on a two-step process: first PT on labeled data only, then continue the model training with both labeled and unlabeled data. While PT is known to be critical for the stability of continuous PL, we are interested in this work to find ways to remove the PT phase to simplify the whole procedure, and possibly improve the overall performance, both in terms of convergence speed and final WER.

**PT improves the final WER** Initial experiments with slimIPL, Table 2, show that with even its simple cache strategy used to stabilize training, PT helps improving the final WER. It is not surprising, as without PT, PLs are of poor quality ( $> 90\%$  WER) at the beginning of training as the model mostly produces random outputs. Careful tuning of the number of PT steps is however important, especially in low-resource supervised settings, as shown in Table 1.

**Caching as a replacement for PT** Vanilla continuous PL is very similar to slimIPL with  $p_{out} = 1$  (see Section 2). With this caching strategy, slimIPL picks unlabeled samples (and their associated PLs) from a cache when needed, and immediately replaces these examples with new unlabeled samples (and their new PLs). This allows to always use PLs generated from a previous version of the trained model, while efficiently computing these PLs. While being simple, we observe in Table 2 that this approach is enough to stabilize continuous PL, assuming a large enough cache.

Table 2: Continuous PL w/ and w/o pre-training (PT) phase for slimIPL. ‘DV’ states for divergence.

Sup.	$p_{out}$	dev-clean WER		dev-other WER	
		w/o PT	w/ PT	w/o PT	w/ PT
10h	1	23.3 <sub>1.7</sub>	13.8	32.1 <sub>1.3</sub>	17.5
10h	0.1	DV	11.4	DV	14.0
100h	1	4.5 <sub>0.1</sub>	3.1	10.6 <sub>0.3</sub>	8.1
100h	0.1	DV	3.6	DV	7.5

**When to update the PLs from the cached samples is critical** In slimIPL (Appendix A Algorithm 1), each sample  $(\mathbf{x}, \hat{\mathbf{y}})$  in the cache  $\mathcal{C}$  at step  $k'$  has a PL  $\hat{\mathbf{y}} = PL(\mathcal{A}(\mathbf{x}; \theta^k))$  that was generated with the model  $\theta^k$  at step  $k < k'$  when it was added to the cache. After using the sample  $(\mathbf{x}, \hat{\mathbf{y}})$  for training, slimIPL adds it back into the cache with probability  $1 - p_{out}$ , leaving its corresponding PLs *unchanged*. We found however that updating PLs with the current model state  $\hat{\mathbf{y}} = PL(\mathcal{A}(\mathbf{x}; \theta^{k'}))$  improves final WER performance. See Table 3, which compares the original slimIPL strategy (‘old’), with the one where the PLs are updated when a sample has been selected in the cache (‘new’). For that reason, in the following experiments, we will be using  $\hat{\mathbf{y}} = PL(\mathcal{A}(\mathbf{x}; \theta^{k'}))$  as a PL strategy, when keeping a sample back into the cache.

**Controlling cache contents dynamically can improve WER** When the cache is updated less often ( $p_{out} < 1$ ), we see in Table 2 that one may improve the WER, but then PT is essential to avoid any divergence. In (Likhomanenko et al., 2021a), the authors of slimIPL have reported robustness (in terms of test WER) with respect to  $p_{out}$ . However, our experiments reported in Table 3 and Figure 3b in Appendix reveal different learning dynamics for different values of  $p_{out}$ : our ablations with specific schedules on the probability  $p_{out}$  seem to suggest that models without a PT phase would benefit more from low  $p_{out}$  at the beginning of training, which would make training easier initially by letting the model focus on the same examples. In addition, later in training, the training procedure might benefit from high  $p_{out}$ , as seeing a wider range of examples may lead to more stability. While we observe significant changes in dynamics with 10h of supervision, with larger labeled set (100h) the different strategies do not make such a huge difference.

Table 3: Strategies of PLs and cache renewing (w/o PT phase). When  $p_{out} < 1$  and sample goes back into the cache, we compare models using the same PL as it was  $\hat{\mathbf{y}} = PL(\mathcal{A}(\mathbf{x}; \theta^k))$  (old) or the newly re-generated PL  $\hat{\mathbf{y}} = PL(\mathcal{A}(\mathbf{x}; \theta^{k'}))$  (new). For cache renewing, we compare static  $p_{out}$  and simple scheduling with  $p_{out}$  being different before and after  $130k$  steps.

$p_{out}$	PLs	10h, WER		100h, WER	
		dev-clean	dev-other	dev-clean	dev-other
1	-	23.3 <sub>1.7</sub>	32.1 <sub>1.3</sub>	4.5 <sub>0.1</sub>	10.6 <sub>0.3</sub>
0.1	old	DV	DV	DV	DV
0.1	new	15.3 <sub>0.6</sub>	25.4 <sub>0.4</sub>	4.5 <sub>0.1</sub>	10.4 <sub>0.1</sub>
1 $\rightarrow$ 0.1	old	23.0 <sub>1.1</sub>	32.1 <sub>0.4</sub>	4.5 <sub>0.1</sub>	11.0 <sub>0.0</sub>
1 $\rightarrow$ 0.1	new	24.8 <sub>1.4</sub>	36.1 <sub>0.5</sub>	<b>4.4</b> <sub>0.0</sub>	<b>10.2</b> <sub>0.1</sub>
0.1 $\rightarrow$ 1	old	DV	DV	DV	DV
0.1 $\rightarrow$ 1	new	<b>13.7</b> <sub>0.8</sub>	<b>20.7</b> <sub>0.8</sub>	4.8 <sub>0.1</sub>	11.3 <sub>0.1</sub>

The above observations suggest that by dynamically controlling how the cache evolves we can improve results in limited data settings. One possible way of doing this is by using a strategy that depends on the rate of evolution of PLs in the cache. In the next section we present such a method.

## 4 Towards Stable Training

### 4.1 Controlling the Cache by Using PL Evolution

Let’s consider an example  $\mathbf{x} \in U$  to be put into the cache at training step  $k$ , see Figure 1. Its PL is defined as  $\hat{\mathbf{y}} = PL(\mathcal{A}(\mathbf{x}; \theta^k)) = PL(\mathbf{x}, k)$ . At step  $k' > k$ , this example  $(\mathbf{x}, \hat{\mathbf{y}})$  is selected from the cache and the model is




Figure 1: Comparison between slimIPL (top) and how we control the cache by using PL evolution (bottom). The constant  $p_{out}$  (or  $p_{in}$ ) from slimIPL now is dynamic and computed based on PL evolution for an unlabeled batch.

updated to  $\theta^{k'+1}$  using the gradient of the loss. Unlike slimIPL, the probability of removing the example from the cache is not constant anymore. Instead,  $p_{out}$  is dynamically computed at step  $k'$  **for sample  $x$**  that is selected from the cache as follows:

$$p_{out}(x; k) = f[\rho(PL(x, k), PL(x, k'))] \quad (3)$$

where  $\rho$  is the Levenshtein edit-distance, and  $f$  the function that encapsulates how evolution in PL's should determine the rate at which examples are removed from the cache. Using different choices of  $f$  we can consider different ways of actively controlling the cache (and hence the model training) using the evolution of the PLs. We consider simple functions  $f : x \mapsto x$  and  $f : x \mapsto 1 - x$ . The first function encourages the cache to maintain examples whose PLs are stable, which might lead to slower learning. The second function maintains examples whose PLs are changing fast which might lead to faster learning but more unstable behavior.

Note that while we explained the method using a single example  $x$  from the unlabelled set, in practice we operate the algorithm on a batch level, and the statistics are computed over a full batch of examples, which are all put back in the cache or removed together.


## 4.2 Alignment Sampling

As discussed in Section 3 training instability shows up as the acoustic model distribution  $\mathcal{A}(x; \theta^k)$  collapses to a degenerate distribution, e.g. empty transcriptions. While a cache and/or an exponential moving average model can stabilize training, they do not resolve the issue entirely, especially in the low data regime, with no pretraining and the model often collapses to a degenerate solution. Even our proposed method above (see Section 4.1) is susceptible to this collapse on the 10h dataset.

In order to overcome the collapse issue and still make use of unlabeled data as early as possible, we propose to sample targets from the token distribution for every frame. We believe that sampling PLs around the most probable hard labels is an effective stabilization technique which works by adding appropriate noise to the targets. As the model is learnt with CTC, every per frame predicted distribution  $p_{\theta}^t(w|x)$ ,  $w \in \mathcal{w}$  for token set  $\mathcal{w}$  and time frame  $t$  is considered to be independent. Thus, for every audio frame, we sample a token label  $w_t \sim p_{\theta}^t(w|x)$ . A temperature  $\tau$  is introduced to smooth the distribution obtained from the model. After the frame level labels are sampled, they are transformed into the transcription by deduplicating consecutive repetitions of the same output token, and removing the left over auxiliary blank tokens<sup>4</sup>.

**Sampling Temperature Schedule** As  $\tau \rightarrow \infty$  the distribution over tokens  $p_{\theta}^t(w|x, \tau)$  approaches the uniform one, the PL sequence of tokens becomes purely random. On the other hand, as  $\tau \rightarrow 0$  the distribution approaches the argmax function which is equivalent to hard labels in slimIPL. We find that  $\tau > 1$  performs poorly. With  $\tau = 1$  the models avoid divergence at the beginning of training but end up with worse final performance than hard PLs ( $\tau = 0$ ): this happens mostly because of larger noise presence due to sampling (quality of PLs is observed being worse). Lower temperatures, e.g.  $\tau = 0.1$ , give indistinguishable results from hard PLs ( $\tau = 0$ ). These observations suggest that

<sup>4</sup>E.g. alignment 'cc###aattt#' will be transformed into 'cat', where # is a CTC blank token.



(a)  $p_{out} = \text{WER}[PL(k), PL(k')]$  per batch along the training. (b) Correlation between  $\text{WER}[PL(k), \text{golden}]$  and  $\text{WER}[PL(k), PL(k')]$ .

Figure 2: Analysis of our curriculum PL selection criteria. WER is given in scale of (0, 1).

decreasing temperature as training proceeds can stabilize training at the beginning and benefit from less noisy PLs in the end. We found that simple linear schedule for  $\tau$  from 1 to 0.1 works very well.

## 5 Results

### 5.1 Dynamic Selection for Pseudo-Labeled Samples

In Table 4 we show results from using the method introduced in Section 4.1. We experiment with token error rate (TER) distance computed between PLs on an entire batch and the two functions as discussed above. For both settings of 100h and 10h of supervised data the proposed dynamic selection decreases WER over the baseline with constant  $p_{out}$ . This behavior also holds when we switch from the dynamic strategy of Eq. (3) to a constant  $p_{out} = 1$  after 130K steps of training. For 10h of labeled data setting the improvement over the baseline is larger and reaches around 1% absolute. The function  $f : x \mapsto 1 - x$  performs worse than  $f : x \mapsto x$  and hence we use this setting for subsequent experiments.

Table 4: WER on *dev-clean* and *dev-other* for different cache selection methods,  $p$ . We use either  $p_{out} = p$  or a strategy where  $p_{out} = p$  for the first 130K steps, switching to  $p_{out} = 1$  afterwards, as shown in Section 3.

$p$	10h				100h			
	$p_{out} = p$		$p_{out} : p \rightarrow 1$		$p_{out} = p$		$p_{out} : p \rightarrow 1$	
	clean	other	clean	other	clean	other	clean	other
0.1	15.3 <sub>0.6</sub>	25.4 <sub>0.4</sub>	13.7 <sub>0.8</sub>	20.7 <sub>0.8</sub>	4.5 <sub>0.1</sub>	10.6 <sub>0.3</sub>	4.8 <sub>0.1</sub>	11.3 <sub>0.1</sub>
$TER[PL(k), PL(k')]$	<b>14.7</b> <sub>0.5</sub>	<b>24.6</b> <sub>0.3</sub>	<b>13.2</b> <sub>1.6</sub>	<b>19.1</b> <sub>1.6</sub>	4.6 <sub>0.1</sub>	<b>10.5</b> <sub>0.2</sub>	<b>4.4</b> <sub>0.1</sub>	<b>10.1</b> <sub>0.2</sub>
$1 - TER[PL(k), PL(k')]$	16.0 <sub>0.4</sub>	26.5 <sub>0.8</sub>	17.8 <sub>1.2</sub>	30.4 <sub>2.3</sub>	<b>4.4</b> <sub>0.1</sub>	11.1 <sub>0.5</sub>	4.5 <sub>0.0</sub>	10.5 <sub>0.5</sub>

Our analysis of dynamic probabilities  $p_{out}$  from Table 4 shows: (i)  $TER[PL(k), PL(k')]$  is close to 100% at the beginning of training (the model changes very fast), and quickly decreases (less than 10% after 30k steps); (ii) over training different batches get different values of  $p_{out}$ , see Figure 2a; (iii) proposed distance correlates with the oracle WER computed between PLs and ground truth labels for  $x \in U$ , see Figure 2b. The latter demonstrates that our choice of dynamic selection encapsulates knowledge about actual PLs quality.

### 5.2 Alignment Sampling

In Table 5 we compare results for models trained with hard PLs ( $\tau = 0$ ) with models trained with alignment sampling with constant  $\tau > 0$  and models trained with a linear schedule of  $\tau$  from 1 to 0.1 ( $1 \rightarrow 0.1$ ), as described in Section 4.2. Here we highlight some observations. Firstly, alignment sampling with high  $\tau$  reduces the number of diverged models (either  $\tau = 1$  or  $\tau = 1 \rightarrow 0.1$ ). Secondly, constant temperature over the training does not provide best results:  $\tau = 0.1$  is similar to the baseline while  $\tau = 1$  is even worse; the difference is more pronounced for the 10h of supervision

with  $p_{out} = 0.1 \rightarrow 1$ . Besides WER we also report TER to highlight that sampling with  $\tau = 1$  leads to a notable CER degradation. However, scheduled  $\tau = 1 \rightarrow 0.1$  provides both stable training (no divergence is observed in experiments) and similar or significantly better TER/WER (1.3%-2.7%) over the baseline. The best results are obtained with  $p_{out} = 0.1 \rightarrow 1$  showing compatibility of sampling and dynamic probability.

Table 5: TER and WER on *dev-other* for sampling PL with different temperature  $\tau$ , including linear schedule of  $\tau$  in case of constant  $p_{out}$  (left parts) or alternated one (right parts), see Section 3. ‘DV’ notes the number of diverged models over 3 runs with random seeds.

$\tau$	10h						100h					
	$p_{out} = 0.1$			$p_{out} : 0.1 \rightarrow 1$			$p_{out} = 0.1$			$p_{out} : 0.1 \rightarrow 1$		
	TER	WER	#DV	TER	WER	#DV	TER	WER	#DV	TER	WER	#DV
0 (argmax)	10.1 <sub>0.2</sub>	25.4 <sub>0.4</sub>	0	7.8 <sub>0.7</sub>	21.4 <sub>0.3</sub>	1	3.9 <sub>0.1</sub>	10.4 <sub>0.1</sub>	1	3.7 <sub>0.1</sub>	10.2 <sub>0.1</sub>	1
0.1	10.9 <sub>1.0</sub>	26.1 <sub>2.0</sub>	0	8.4 <sub>0.1</sub>	21.2 <sub>1.9</sub>	0	3.9 <sub>0.1</sub>	10.3 <sub>0.1</sub>	1	<b>3.6</b> <sub>0.1</sub>	10.3 <sub>0.1</sub>	2
1	11.4 <sub>1.9</sub>	26.5 <sub>4.8</sub>	0	12.1 <sub>0.6</sub>	31.2 <sub>1.9</sub>	0	4.2 <sub>0.2</sub>	10.4 <sub>0.3</sub>	0	3.7 <sub>0.1</sub>	10.4 <sub>0.2</sub>	0
1 $\rightarrow$ 0.1	<b>9.7</b> <sub>1.2</sub>	<b>22.7</b> <sub>1.4</sub>	0	<b>7.5</b> <sub>0.6</sub>	<b>20.1</b> <sub>1.2</sub>	0	<b>3.8</b> <sub>0.1</sub>	<b>10.2</b> <sub>0.1</sub>	0	3.7 <sub>0.1</sub>	<b>10.1</b> <sub>0.1</sub>	0

### 5.3 Combining Methods for Best Results

In this section we highlight the results that can be achieved by combining together all the methods reported above. In Table 6 we give detailed comparison of all methods from previous sections combined together for both 10h and 100h of supervision. As we have now stable training pipeline from start, we also play with a ratio  $\lambda$  (see Eq. (1)) searching it in range [1, 5]. This raises training instability risk while larger proportion of unlabeled data may improve the model according to Likhomanenko et al. (2021a).

Table 6: Combination of our methods for hard labels (left part) and for sampling (right part) with linear schedule on the temperature. ‘DV’ states for models divergence, ‘old’ denotes usage of  $PL(x; k)$ , while ‘new’ denotes the use of  $PL(x; k')$ . We compare different  $p_{out}$  (all with using ‘new’): scheduled  $p_{out} = 0.1 \rightarrow 1$  (switching at 130K steps),  $\rho = TER$  and scheduled  $\rho = TER \rightarrow 1$  (switching at 130K steps). The WER on *dev-other* is reported. All results are reported across 3 runs with different seeds.

Data	$\lambda$	Argmax					Sampling				
		old	new	0.1 $\rightarrow$ 1	$\rho$	$\rho \rightarrow 1$	old	new	0.1 $\rightarrow$ 1	$\rho$	$\rho \rightarrow 1$
10h	1	DV	25.4 <sub>0.4</sub>	21.4 <sub>0.3</sub>	24.6 <sub>0.3</sub>	19.1 <sub>1.6</sub>	DV	22.7 <sub>1.4</sub>	20.1 <sub>1.2</sub>	21.2 <sub>1.8</sub>	20.7 <sub>1.9</sub>
10h	5	DV	DV	DV	DV	DV	DV	DV	DV	14.7 <sub>0.4</sub>	13.3 <sub>0.2</sub>
100h	1	DV	10.6 <sub>0.3</sub>	11.3 <sub>0.1</sub>	10.5 <sub>0.2</sub>	10.1 <sub>0.2</sub>	13.5 <sub>0.3</sub>	10.2 <sub>0.1</sub>	10.1 <sub>0.1</sub>	10.5 <sub>0.2</sub>	10.2 <sub>0.2</sub>
100h	5	DV	DV	DV	DV	DV	DV	DV	DV	10.7 <sub>0.3</sub>	10.0 <sub>0.3</sub>

For 10 hours of supervised data the models benefit a lot from the higher  $\lambda$  and become competitive with models trained with PT phase as well as with prior works (Baevski et al., 2020; Likhomanenko et al., 2021a)). Note that combining sampling with dynamic  $p_{out}$  based on PL evolution is necessary to have stable training for  $\lambda > 1$ .

To have a proper comparison with aforementioned prior works we increase the batch size and use dynamic batching for the best configuration. First, we confirm that both sampling and dynamically controlling the cache give stable training (see e.g. Appendix D Table 8).

Second, in Table 7<sup>5</sup> for 10h/100h setup ( $\lambda = 5/\lambda = 3$ ) our models achieve similar or better results with no PT compared to PT-based models (which are reproductions of slimIPL using the same settings that we use for our method) while matching the prior works.

<sup>5</sup>As we use different 10h split in this work we also report results for 10h set with 24 speakers from Libri-Light used in prior works. We found that training with no PT is more prone to unstable training for this set, while our method is able to stabilize it and get comparable performance with its baseline counterpart which lags behind the prior works.

Table 7: Comparison of our best models with prior works for 10h and 100h of supervision. Results are reported across 3 random seeds. For wav2vec 2.0 and slimIPL we report the prior work results and our reproduction following official open-sourced recipes. The 10h set from Libri-Light is marked with “\*”.

Model	Sup. set	WER			
		dev-clean	dev-other	test-clean	test-other
w2v 2.0, Large (Baevski et al., 2020)	10h*	8.1	12.0	8.0	12.1
w2v 2.0, Large, repro	10h*	8.1 <sub>0.3</sub>	12.9 <sub>0.2</sub>	8.1 <sub>0.3</sub>	13.3 <sub>0.3</sub>
	10h	7.4 <sub>0.3</sub>	12.7 <sub>0.3</sub>	7.7 <sub>0.3</sub>	13.0 <sub>0.4</sub>
slimIPL (Likhomanenko et al., 2021a)	10h*	11.4	14	11.4	14.7
slimIPL (CAPE), repro	10h*	14.4 <sub>0.3</sub>	18.8 <sub>0.4</sub>	15.1 <sub>0.4</sub>	19.3 <sub>0.3</sub>
	10h	10.0 <sub>0.4</sub>	15.1 <sub>0.5</sub>	9.9 <sub>0.4</sub>	15.7 <sub>0.5</sub>
slimIPL (sinpos), repro	10h*	32.7 <sub>0.6</sub>	36.8 <sub>0.3</sub>	33.7 <sub>0.7</sub>	37.6 <sub>0.4</sub>
	10h	22.5 <sub>1.3</sub>	28.1 <sub>1.3</sub>	22.9 <sub>1.2</sub>	29.4 <sub>1.4</sub>
Ours (sinpos)	10h*	15.8 <sub>0.1</sub>	21.2 <sub>0.1</sub>	16.3 <sub>0.2</sub>	21.7 <sub>0.1</sub>
	10h	8.6 <sub>0.1</sub>	11.9 <sub>0.2</sub>	8.6 <sub>0.2</sub>	12.4 <sub>0.1</sub>
w2v 2.0, Large (Baevski et al., 2020)	100h	4.6	9.3	4.7	9.0
slimIPL (Likhomanenko et al., 2021a)	100h	3.7	7.3	3.8	7.5
slimIPL (sinpos), repro	100h	3.7 <sub>0.1</sub>	7.8 <sub>0.1</sub>	3.8 <sub>0.1</sub>	8.0 <sub>0.1</sub>
Ours (sinpos)	100h	3.9 <sub>0.1</sub>	7.8 <sub>0.2</sub>	4.0 <sub>0.2</sub>	8.2 <sub>0.2</sub>

## 6 Conclusion

In this paper we show that we can perform continuous pseudo-labeling from the very start of training and get improved results in low supervision settings. We were able to achieve these results by using alignment sampling and a dynamic cache selection strategy that is based on the evolution of the pseudo-labels during training. Being able to perform pseudo-labeling from the very start further simplifies training, avoiding complicated multi-step pipelines and allows us to focus on a simpler one. Our work also provides avenues for explorations into curriculum strategies for pseudo-labeling and we hope to build upon the ideas and results presented in this paper. In the future we wish to explore the effectiveness of these methods to other settings for ASR such as sequence-to-sequence/transducer models, out-of-domain unsupervised data, and neural models not based on transformers.

## Acknowledgments

We would like to thank Richard He Bai, Jagrit Digani, David Grangier, Loren Lugosch, Yizhe Zhang, and machine learning research teammates for helpful discussions and support throughout the work.

## References

- Alexei Baevski, Yuhao Zhou, Abdelrahman Mohamed, and Michael Auli. wav2vec 2.0: A framework for self-supervised learning of speech representations. *Advances in Neural Information Processing Systems*, 33, 2020.
- Alexei Baevski, Wei-Ning Hsu, Qiantong Xu, Arun Babu, Jiatao Gu, and Michael Auli. Data2vec: A general framework for self-supervised learning in speech, vision and language. *arXiv preprint arXiv:2202.03555*, 2022.
- David Berthelot, Nicholas Carlini, Ian Goodfellow, Nicolas Papernot, Avital Oliver, and Colin A Raffel. Mixmatch: A holistic approach to semi-supervised learning. *Advances in neural information processing systems*, 32, 2019.
- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901, 2020.
- Zhaowei Cai, Avinash Ravichandran, Paolo Favaro, Manchen Wang, Davide Modolo, Rahul Bhotika, Zhuowen Tu, and Stefano Soatto. Semi-supervised vision transformers at scale. *arXiv preprint arXiv:2208.05688*, 2022.



- Mathilde Caron, Hugo Touvron, Ishan Misra, Hervé Jégou, Julien Mairal, Piotr Bojanowski, and Armand Joulin. Emerging properties in self-supervised vision transformers. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 9650–9660, 2021.
- Ting Chen, Simon Kornblith, Mohammad Norouzi, and Geoffrey Hinton. A simple framework for contrastive learning of visual representations. In *International conference on machine learning*, pp. 1597–1607. PMLR, 2020a.
- Yang Chen, Weiran Wang, and Chao Wang. Semi-supervised asr by end-to-end self-training. *Proc. Interspeech 2020*, pp. 2787–2791, 2020b.
- Yu-An Chung, Yu Zhang, Wei Han, Chung-Cheng Chiu, James Qin, Ruoming Pang, and Yonghui Wu. W2v-bert: Combining contrastive learning and masked language modeling for self-supervised speech pre-training. In *2021 IEEE Automatic Speech Recognition and Understanding Workshop (ASRU)*, pp. 244–250. IEEE, 2021.
- Lucio M. Dery, Paul Michel, Amee Talwalkar, and Graham Neubig. Should we be pre-training? an argument for end-task aware training as an alternative. In *International Conference on Learning Representations, 2022*. URL <https://openreview.net/forum?id=2b02x8NAIMB>.
- John Duchi, Elad Hazan, and Yoram Singer. Adaptive subgradient methods for online learning and stochastic optimization. *Journal of machine learning research*, 12(Jul):2121–2159, 2011.
- Angela Fan, Edouard Grave, and Armand Joulin. Reducing transformer depth on demand with structured dropout. In *International Conference on Learning Representations, 2020*.
- Alex Graves, Santiago Fernández, Faustino Gomez, and Jürgen Schmidhuber. Connectionist temporal classification: labelling unsegmented sequence data with recurrent neural networks. In *Proceedings of the 23rd international conference on Machine learning*, pp. 369–376, 2006.
- Kaiming He, Xinlei Chen, Saining Xie, Yanghao Li, Piotr Dollár, and Ross Girshick. Masked autoencoders are scalable vision learners. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 16000–16009, 2022.
- Yosuke Higuchi, Niko Moritz, Jonathan Le Roux, and Takaaki Hori. Momentum pseudo-labeling for semi-supervised speech recognition. *Proc. Interspeech*, 2021.
- Yosuke Higuchi, Niko Moritz, Jonathan Le Roux, and Takaaki Hori. Advancing momentum pseudo-labeling with conformer and initialization strategy. In *ICASSP 2022-2022 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 7672–7676. IEEE, 2022a.
- Yosuke Higuchi, Niko Moritz, Jonathan Le Roux, and Takaaki Hori. Momentum pseudo-labeling: Semi-supervised asr with continuously improving pseudo-labels. *IEEE Journal of Selected Topics in Signal Processing*, pp. 1–14, 2022b. doi: 10.1109/JSTSP.2022.3195367.
- Wei-Ning Hsu, Yao-Hung Hubert Tsai, Benjamin Bolte, Ruslan Salakhutdinov, and Abdelrahman Mohamed. Hubert: How much can a bad teacher benefit asr pre-training? In *ICASSP 2021-2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 6533–6537. IEEE, 2021.
- Kexin Huang, Vishnu Sresht, Brajesh Rai, and Mykola Bordyuh. Adaptive pseudo-labeling for quantum calculations, 2022. URL [https://openreview.net/forum?id=FFM\\_oJeqZx](https://openreview.net/forum?id=FFM_oJeqZx).
- Jacob Kahn, Ann Lee, and Awni Hannun. Self-training for end-to-end speech recognition. In *ICASSP 2020-2020 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 7084–7088. IEEE, 2020a.
- Jacob Kahn, Morgane Rivière, Weiyi Zheng, Evgeny Kharitonov, Qiantong Xu, Pierre-Emmanuel Mazaré, Julien Karadayi, Vitaliy Liptchinsky, Ronan Collobert, Christian Fuegen, et al. Libri-light: A benchmark for asr with limited or no supervision. In *ICASSP 2020-2020 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 7669–7673. IEEE, 2020b.
- Samuli Laine and Timo Aila. Temporal ensembling for semi-supervised learning. *arXiv preprint arXiv:1610.02242*, 2016.
- Dong-Hyun Lee. Pseudo-label: The simple and efficient semi-supervised learning method for deep neural networks. In *Workshop on challenges in representation learning, ICML*, volume 3, 2013.
- Tatiana Likhomanenko, Qiantong Xu, Jacob Kahn, Gabriel Synnaeve, and Ronan Collobert. slimipl: Language-model-free iterative pseudo-labeling. *Proc. Interspeech*, 2021a.
- Tatiana Likhomanenko, Qiantong Xu, Gabriel Synnaeve, Ronan Collobert, and Alex Rogozhnikov. Cape: Encoding relative positions with continuous augmented positional embeddings. *Advances in Neural Information Processing Systems*, 34, 2021b.

- Vimal Manohar, Tatiana Likhomanenko, Qiantong Xu, Wei-Ning Hsu, Ronan Collobert, Yatharth Saraf, Geoffrey Zweig, and Abdelrahman Mohamed. Kaizen: Continuously improving teacher using exponential moving average for semi-supervised speech recognition. *arXiv preprint arXiv:2106.07759*, 2021.
- Vassil Panayotov, Guoguo Chen, Daniel Povey, and Sanjeev Khudanpur. Librispeech: an asr corpus based on public domain audio books. In *2015 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 5206–5210. IEEE, 2015.
- Daniel S Park, William Chan, Yu Zhang, Chung-Cheng Chiu, Barret Zoph, Ekin D Cubuk, and Quoc V Le. Specaugment: A simple data augmentation method for automatic speech recognition. *Proc. Interspeech 2019*, pp. 2613–2617, 2019.
- Daniel S Park, Yu Zhang, Ye Jia, Wei Han, Chung-Cheng Chiu, Bo Li, Yonghui Wu, and Quoc V Le. Improved noisy student training for automatic speech recognition. *Proc. Interspeech 2020*, pp. 2817–2821, 2020.
- Aditya Ramesh, Mikhail Pavlov, Gabriel Goh, Scott Gray, Chelsea Voss, Alec Radford, Mark Chen, and Ilya Sutskever. Zero-shot text-to-image generation. In *International Conference on Machine Learning*, pp. 8821–8831. PMLR, 2021.
- Mehdi Sajjadi, Mehran Javanmardi, and Tolga Tasdizen. Regularization with stochastic transformations and perturbations for deep semi-supervised learning. *Advances in neural information processing systems*, 29, 2016.
- H Scudder. Probability of error of some adaptive pattern-recognition machines. *IEEE Transactions on Information Theory*, 11(3):363–371, 1965.
- Peter Shaw, Jakob Uszkoreit, and Ashish Vaswani. Self-attention with relative position representations. In *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 2 (Short Papers)*, pp. 464–468, 2018.
- Kihyuk Sohn, David Berthelot, Nicholas Carlini, Zizhao Zhang, Han Zhang, Colin A Raffel, Ekin Dogus Cubuk, Alexey Kurakin, and Chun-Liang Li. Fixmatch: Simplifying semi-supervised learning with consistency and confidence. *Advances in Neural Information Processing Systems*, 33, 2020.
- Gabriel Synnaeve, Qiantong Xu, Jacob Kahn, Tatiana Likhomanenko, Edouard Grave, Vineel Pratap, Anuroop Sriram, Vitaliy Liptchinsky, and Ronan Collobert. End-to-end asr: from supervised to semi-supervised learning with modern architectures. In *Workshop on Self-supervision in Audio and Speech, ICML, 2020*.
- Chaitanya Talnikar, Tatiana Likhomanenko, Ronan Collobert, and Gabriel Synnaeve. Joint masked cpc and ctc training for asr. In *ICASSP 2021-2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 3045–3049. IEEE, 2021.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Lukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *Advances in neural information processing systems*, pp. 5998–6008, 2017.
- Qiantong Xu, Tatiana Likhomanenko, Jacob Kahn, Awni Hannun, Gabriel Synnaeve, and Ronan Collobert. Iterative pseudo-labeling for speech recognition. *Proc. Interspeech 2020*, pp. 1006–1010, 2020.
- Bowen Zhang, Yidong Wang, Wenxin Hou, Hao Wu, Jindong Wang, Manabu Okumura, and Takahiro Shinozaki. Flexmatch: Boosting semi-supervised learning with curriculum pseudo labeling. *Advances in Neural Information Processing Systems*, 34:18408–18419, 2021.
- Bowen Zhang, Songjun Cao, Xiaoming Zhang, Yike Zhang, Long Ma, and Takahiro Shinozaki. Censer: Curriculum semi-supervised learning for speech recognition based on self-supervised pre-training. *arXiv preprint arXiv:2206.08189*, 2022.
- Yu Zhang, James Qin, Daniel S Park, Wei Han, Chung-Cheng Chiu, Ruoming Pang, Quoc V Le, and Yonghui Wu. Pushing the limits of semi-supervised learning for automatic speech recognition. *arXiv preprint arXiv:2010.10504*, 2020.

## A slimIPL Algorithm

---

### Algorithm 1: slimIPL overview

---

**Data:** labeled  $L = \{\mathbf{x}_i, \mathbf{y}_i\}$  and unlabeled  $U = \{\mathbf{x}_j\}$  data,  $\tilde{\mathbf{x}} = \text{augmentation}(\mathbf{x})$ , initialization  $\boldsymbol{\theta}^0$  and cache  $\mathcal{C} = \{\}$ , learning rate  $\eta_k$ , losses  $\mathcal{L}_L$  and  $\mathcal{L}_U$

**Result:** Acoustic model  $\mathcal{A}(\mathbf{x}; \boldsymbol{\theta})$

1. Train  $\mathcal{A}$  on  $(\mathbf{x}, \mathbf{y}) \in L$  for  $M$  steps:  $\boldsymbol{\theta}^{k+1} = \boldsymbol{\theta}^k - \eta_k \nabla \mathcal{L}_L(\mathcal{A}(\tilde{\mathbf{x}}; \boldsymbol{\theta}^k), \mathbf{y}), k = \overline{1, M}$ ;
2. Decrease model’s  $\mathcal{A}(\mathbf{x}; \boldsymbol{\theta})$  dropout;

3. **for**  $k = \overline{M+1, M+C}$  **do**

For random  $\mathbf{x} \in U$  generate  $\hat{\mathbf{y}} = PL(\mathcal{A}(\mathbf{x}; \boldsymbol{\theta}^k))$  and  $\mathcal{C} \leftarrow \mathcal{C} \cup \{(\mathbf{x}, \hat{\mathbf{y}})\}$  ;  
 $\boldsymbol{\theta}^{k+1} = \boldsymbol{\theta}^k - \eta_k \nabla \mathcal{L}_L(\mathcal{A}(\tilde{\mathbf{x}}; \boldsymbol{\theta}^k), \mathbf{y}), (\mathbf{x}, \mathbf{y}) \in L$ ;

**end**

**repeat**

**if**  $\text{rand}(0, 1) < N_L / (N_L + N_U)$  **then**

Sample  $(\mathbf{x}, \mathbf{y}) \in L$  and  $\boldsymbol{\theta}^{k+1} = \boldsymbol{\theta}^k - \eta_k \nabla \mathcal{L}_L(\mathcal{A}(\tilde{\mathbf{x}}; \boldsymbol{\theta}^k), \mathbf{y})$

**else**

Sample  $b = (\mathbf{x}, \mathbf{y}) \in \mathcal{C}$  and  $\boldsymbol{\theta}^{k+1} = \boldsymbol{\theta}^k - \eta_k \nabla \mathcal{L}_U(\mathcal{A}(\tilde{\mathbf{x}}; \boldsymbol{\theta}^k), \mathbf{y})$ ;

**if**  $\text{rand}(0, 1) < p_{\text{out}}$  **then**

For random  $\mathbf{x}' \in U$  generate  $\hat{\mathbf{y}}' = PL(\mathcal{A}(\mathbf{x}; \boldsymbol{\theta}^k))$  and  $\mathcal{C} \leftarrow \mathcal{C} \setminus b \cup \{(\mathbf{x}', \hat{\mathbf{y}}')\}$

**end**

**end**

$k \leftarrow k + 1$ ;

**until** *convergence or maximum iterations are reached*;

---

## B Details on Experimental Setup

### B.1 Speakers in LibriSpeech

There is no intersection between speakers in different LibriSpeech train sets as well as in validation / test sets – all speakers are unique and are present in only one of the LibriSpeech sets. To prepare the 10h set we randomly sampled audio per speaker to gather a total 10h of audio.

### B.2 Acoustic Model Training


We keep the original 16kHz sampling rate and compute log-mel filterbanks with 80 coefficients for a 25ms sliding window, strided by 10ms which are normalized to zero mean and unit variance per input sequence before feeding into a model.

Throughout the paper we consider transformer-based models with a convolutional frontend to perform the proper striding. The encoder is composed of a 1-D convolution with kernel size 7 and stride 3 followed by 36 4-head Transformer blocks (Vaswani et al., 2017). The self-attention dimension is 768 and the feed-forward network (FFN) dimension is 3072 (with 4 heads) in each transformer block. The output of the encoder is followed by a linear layer to the output classes. We use dropout after the convolution, dropout on the self-attention and on the FFN for all transformer layers, and layer drop (Fan et al., 2020), dropping entire layers at the FFN level.


We get rid of relative positional embedding (Shaw et al., 2018) and use either sinusoidal one (Vaswani et al., 2017) or recently proposed CAPE embedding (Likhomanenko et al., 2021b) (only global shift of 30s is used): this speeds up training by 2-3x and decreases memory usage.

For specAugment Park et al. (2019) we follow parameters from Likhomanenko et al. (2021a): two frequency masks with frequency mask parameter  $F = 30$ , ten time masks with maximum time-mask ratio  $p = 0.1$  and time mask parameter  $T = 50$ ; time warping is not used. We mention that augmentation should be activated later otherwise we do not converge.

All models are trained with CTC loss and Adagrad optimizer with linear warmup period of 64k steps, constant learning rate of 0.03 and step-wise (by 2) learning rate decay at the end of training. All models are trained on tf32 tensor cores of 8 Ampere A100 40GB GPUs for a maximum of 500k updates.



(a) Evolution of  $p_{out}$  for the different curriculum selection strategies.



(b) Comparison between models trained with different  $p_{out}$ : constant 1 (blue) or 0.1 (orange), or scheduled 0.1  $\rightarrow$  1.

Figure 3: Analysis of the probability  $p_{out}$ .

For slimIPL parameters we use always cache size of 1k. Throughout the paper we vary the proportion  $\lambda$  (by default we use  $\lambda = 1$  if not stated otherwise) as well as  $p_{out}$ . From experiments we observe that it is important to activate SpecAugment later in the training otherwise slimIPL baseline is even more prone to divergence.

### C wav2vec and slimIPL Reproduction

To reproduce baselines in Table 7 for slimIPL we follow Likhomanenko et al. (2021a) and its published recipe. The only change we do is positional embedding as discussed above and batch size. The rest of the training remains the same. To reproduce wav2vec 2.0 (Baevski et al., 2020) we take open-sourced Large model pretrained on the full LibriSpeech<sup>6</sup> and then perform fine-tuning on our 10h set and the 10h set from Libri-Light. For fine-tuning we use open-sourced configurations for 10h<sup>7</sup>. We fine-tune models on 24 GPUs as specified in Baevski et al. (2020) for 3 different seeds.

### D Ablations: Sampling for Larger Batches

Table 8: Comparison (in WER) between different temperatures  $\tau$  for sampling when large batch and longer training (600k) are used.

$\tau$	dev-clean	dev-other	test-clean	test-other
0 (argmax)	19.1	26.7	19.3	27.8
1 $\rightarrow$ 0.1	13.9	17.5	13.8	18.0

<sup>6</sup>Model is available at [https://dl.fbaipublicfiles.com/fairseq/wav2vec/libri960\\_big.pt](https://dl.fbaipublicfiles.com/fairseq/wav2vec/libri960_big.pt).

<sup>7</sup>They are available at [https://github.com/facebookresearch/fairseq/blob/main/examples/wav2vec/config/finetuning/vox\\_10h.yaml](https://github.com/facebookresearch/fairseq/blob/main/examples/wav2vec/config/finetuning/vox_10h.yaml).